
# ΙΝSΤΕΌΝ°



INSTEON Dimmer Switch 2477D, 2477DH Quick Start Guide

## **INSTEON Dimmer Switch**





#### **Tools Needed for Installation**



Phillips Screwdriver



Flathead Screwdriver



Voltage Detector



Wire Cutter / Stripper

## **Disconnect Power**




Always disconnect power before installation. Contact INSTEON Support when uncertain about installation.


1-866-243-8022

### Installation

Turn off power to your switch at the electrical service panel.




Circuit Breakers




Fuse Panel

Remove the old switch and disconnect the wires. If your box lacks neutral wires, stop and contact support.




Turn on power at the circuit breaker and use a voltage detector or multi-meter to identify **line** and **load**. **Line** will be energized.






Turn off power at the circuit breaker. Connect the junction box. Verify that the wire nuts are sexcept for the bare ground wire.







the Dimmer Switch wires to the identified wires in secure and that no exposed copper wire is visible



Mount the Dimmer Switch into the junction box with the LED bar on the left and turn power on to the switch at the circuit breaker panel.



Test your Dimmer Switch by tapping the paddle to turn On and Off. Press and hold to dim or brighten.





Installation complete. You can now link vour Dimmer Switch to the Hub.

## Linking to the Hub

Follow the on-screen instructions to add your Dimmer Switch to the INSTEON Hub.



When prompted, press and hold the Dimmer Switch's set button.





#### **Device Control**

Dim, brighten, set schedules and create scenes for your Dimmer Switch using the INSTEON Hub and App.

